



SurMakine
Since 2010

**Box Strap
Solutions
&
Conveyor
Systems**

ABOUT US

SUR MAKİNA SAN. VE TİC. LTD. ŞTİ. is a reputable company with more than 15 years of experience in the packaging equipment and machinery sector, distinguished by its reliability and commitment to quality production. We offer manufacturers flexible, functional, and efficient solutions by providing both standard equipment and tailored engineering options for packaging lines, serving clients both domestically and internationally.

When it is required in your packaging processes:
Expertise in technical packaging lines,
Flexible and innovative industrial packaging solutions,
Consulting and conceptual support designed to enhance operational efficiency,
We would be delighted to serve as your solution partner in these areas.


With solutions customized to your requirements:
You can decrease your packaging expenses.
You can enhance the shelf quality of your products.
We can develop a strategic roadmap for selecting the appropriate equipment that adheres to 100% packaging standards.
Our company, which places a premium on customer satisfaction, seeks to foster sector development and achieve mutual growth with our business partners while upholding quality and reliability.

OUR MISSION

In the packaging and wrapping industry, our objective is to enhance our clients' production processes by creating innovative, efficient, and sustainable solutions. We emphasize quality and customer satisfaction, striving to be a dependable partner in every project.

OUR VISION

To establish a prominent and exemplary brand in both national and international markets by effectively leveraging technology and emphasizing high-quality production. To influence the future of packaging technologies through ongoing development and an engineering-focused methodology.



Semi-Automatic Packaging Tape Application Machine

Usable package dimensions: Minimum – Maximum

Length: 150 to infinite mm / Width: 120 to 500 mm / Height: 120 to 500 mm

Manual adjustment of width and height.

Inlet – outlet conveyor (conveyor length: 450 mm)

Lateral strap

Capacity: 12-18 carts per minute

Power supply: 380V $\pm 10\%$ 50/60 Hz

Band width: 5 cm – 2 inches

Length of tape reel utilized: 1,000 meters

Designed for continuous 24-hour operation.

Large-diameter industrial tape facilitates prolonged usage without the need for replacement.

Schneider brand component.

Adapting to various bandwidths

Installed power: 0.36 kWh


Protection class IP55

Color RAL 7040-5002

CE certification

Product origin: Turkey





Semi-Automatic Mixed-Size Box Taping Machine

Usable package dimensions: Minimum – Maximum

Length: 150 to infinite mm / Width: 120 to 500 mm / Height: 120 to 500 mm

Inlet-outlet conveyor (conveyor length: 450 mm)

Lateral strap

Capacity:

Power supply: 380V $\pm 10\%$ 50/60 Hz

Band width: 5 cm – 2 inches

Length of tape reel utilized: 1,000 meters

The machine is equipped with standard LG-LS Electronic Components and SMC Components.

Designed for continuous 24-hour operation. Large-diameter industrial tape facilitates prolonged usage without the need for replacement.

- Automatic adjustment of height and width.

Installed power: 0.36 kWh

Protection class IP55

Color RAL 7040-5002

CE certification

Product origin: Turkey



Automated Package Unpacking and Preparation System

Package dimensions minimum L x W x H mm: 180 x 130 x 120

Package dimensions maximum L x W x H mm: 440 x 440 x 450

Capacity (pieces/minute): 9-16 boxes per minute

Magazine capacity: 130 rounds

Suction plate: Interchangeable suction plate (The machine is supplied with one suction plate as standard.)

Electrical connection: 0.5 kW, 380 V, 50 Hz

- Air consumption: 38 free air per revolution, minimum 600 kPa, 1/2" connection.

Color: Standard RAL 7040 - 5002

The machine is included as standard.

LG-LS electronic components and SMC components

- Seal the bottom of the box.
- Operator panel available in six languages: Turkish, English, German, French, Spanish, and Arabic.

CE certification

Product origin: Turkey



Top-Cover Sealing Machine for Cartons

Automatic pneumatic flap closure / Safety enclosure

Usable package dimensions: Minimum – Maximum

Length: 200-600 mm / Width: 120-500 mm / Height: 120-500 mm

- Manual adjustment of width and height.

Inlet-outlet conveyor (conveyor dimensions 450×450 mm)

- Top and Bottom Banding System

Lateral strap

Capacity: 12 to 18 carts per minute

Power requirement: 380V $\pm$ 10% (Single Phase) - 50/60 Hz

Energy Consumption: 0.36 kWh

- Band width: 5 cm – 2 inches

Length of tape reel utilized: 1,000 meters


Large-diameter industrial tape facilitates prolonged usage without the need for replacement.

- The machine is equipped with standard LG-LS Electronic Components and SMC components.

Adapting to various bandwidths

CE certification

Product Origin: Turkey







Packaging System

It comprises single-lane, 90° product-feeding wrapper box packaging machines designed for packaging in wrapper boxes and trays, featuring walls of uniform or varying heights. Depending on the machine model and the type of product being processed, these machines can package a diverse range of cylindrical, oval, or square/rectangular containers at a maximum input speed of 80 units per minute.

The models in this series are distinguished by their compact design, which seamlessly adapts to various end-of-line logistics conditions, and their capacity for swift and effortless transitions facilitated by single-lane feeding.





Conveyor Systems



Accordion Conveyor



Modular Conveyor System

Conveyor Systems



Belt Conveyor System



Roller Conveyor

Sur Makine Conveyor Systems, engineered to deliver optimal efficiency in production, packaging, and logistics processes, are tailored to fulfill the requirements of various industries.

Owing to its modular design, it can be seamlessly integrated into current production lines, providing exceptional conveying performance, extended service life, and minimal maintenance expenses. Our straight, curved, and flexible conveyor solutions ensure that product flow remains secure, continuous, and efficient.



SurMakine

Since 2010



İkitelli Industrial Zone, Atatürk Boulevard, Haseyat Second Section
100 2B01 İkitelli-Başakşehir, İstanbul, Turkey



+90 (212) 567 03 38

+90 (212) 565 72 28



info@surmakine.com



www.surmakine.com



SurMakine
Since 2010

**KOLİ BANTLAMA
ÇÖZÜMLERİ
&
KONVEYÖR
SİSTEMLERİ**

HAKKIMIZDA

SUR MAKİNA SAN. VE TİC. LTD. ŞTİ., 15 yılı aşkın tecrübesiyle paketleme ekipmanları ve makineleri alanında faaliyet gösteren, sektörde güvenilirliği ve kalite odaklı üretimiyle öne çıkan köklü bir kuruluştur. Yurt içi ve yurt dışında, paketleme hatlarına yönelik hem standart ekipmanlar hem de özel mühendislik çözümleri sunarak üreticilere esnek, işlevsel ve verimli alternatifler sağlamaktayız.

Ambalajlama süreçlerinizde ihtiyaç duyduğunuzda:

- Teknik ambalajlama hattı uzmanlığı,
 - Esnek ve yenilikçi endüstriyel ambalaj sistemleri,
 - Operasyonel verimliliği artırmaya yönelik danışmanlık ve fikir desteği,
- gibi alanlarda çözüm ortağınız olmaktan memnuniyet duyarız.

Size özel çözümlerle:

- Ambalajlama maliyetlerinizi azaltabilir,
- Ürünlerinizin raf kalitesini yükseltebilir,
- %100 ambalaj standardına uygun, doğru ekipman seçimi için stratejik bir yol haritası oluşturabiliriz.


Müşteri memnuniyetini temel ilke edinen firmamız, kalite ve güvenilirlikten ödün vermeden, sektörün gelişimine katkıda bulunmayı ve iş ortaklarımızla birlikte büyümeyi hedeflemektedir.

MİSYONUMUZ

Paketleme ve ambalajlama sektöründe; yenilikçi, verimli ve sürdürülebilir çözümler üreterek müşterilerimizin üretim süreçlerine katma değer sağlamak. Kaliteyi ve müşteri memnuniyetini ön planda tutarak, her projede güvenilir bir çözüm ortağı olmak.

VİZYONUMUZ


Ulusal ve uluslararası pazarda, teknolojiyi etkin kullanan, yüksek kaliteli üretimi ilke edinmiş, sektörde öncü ve referans gösterilen bir marka haline gelmek. Sürekli gelişim ve mühendislik yaklaşımıyla, ambalajlama teknolojilerinde geleceği şekillendirmek.



Yarı Otomatik Koli Bantlama Makinesi

- Çalışabilir koli ölçüleri: Minimum - Maksimum
- Uzunluk : 150- sonsuz mm / Genişlik: 120-500 mm / Yükseklik : 120-500 mm
- Manuel genişlik ve yükseklik ayarlama
- Giriş - çıkış konveyör (konveyör uzunluğu 450 mm)
- Yan kayışlı
- Kapasite: 12- 18 koli /dk
- Güç kaynağı: V 380 $\pm$ % 10 50/60 Hz
- Bant genişliği: 5 cm - 2"
- Kullanılan bant makara uzunluğu: 1.000 mt
- 24 saat yoğun kullanıma uygun
- Büyük çaplı endüstriyel bant ile uzun süre bant değiştirmeden kullanım imkanı
- Schneider marka komponent
- Farklı bant genişliklerine adaptasyon
- Kurulu güç 0.36 kwh
- Koruma sınıfı IP 55
- Renk ral 7040-5002
- CE sertifikası
- Ürün menşei: Türkiye





Yarı Otomatik Karışık Ebatlı Koli Bantlama Makinesi

- Çalışabilir koli ölçüleri: Minimum - Maksimum
- Uzunluk : 150- sonsuz mm / Genişlik: 120-500 mm / Yükseklik : 120-500 mm
- Giriş-Çıkış konveyör (konveyör uzunluğu 450 mm)
- Yan kayışlı
- Kapasite:
- Güç kaynağı: V 380 $\pm$ % 10 50/60 Hz
- Bant genişliği: 5 cm - 2"
- Kullanılan bant makara uzunluğu: 1.000 mt
- Makine standart olarak LG-LS Elektronik Aksam ve SMC komponent
- 24 saat yoğun kullanıma uygun
- Büyük çaplı endüstriyel bant ile uzun süre bant değiştirmeden kullanım imkanı
- Otomatik yükseklik-genişlik ayarlama
- Kurulu güç 0.36 kwh
- Koruma sınıfı IP 55
- Renk ral 7040-5002
- CE sertifikası
- Ürün menşei: Türkiye




Otomatik Koli Açma ve Hazırlama Makinesi

- Koli ölçüleri min. L x W x H mm: 180 x 130 x 120
- Koli ölçüleri max. L x W x H mm: 440 x 440 x 450
- Kapasite adet / dk: 9 -16 koli / dk
- Magazin kapasitesi: 130 Koli
- Emiş plakası: Değiştirilebilir emiş plaka (Makine standart olarak tek emiş plakası ile teslim edilir)
- Elektrik bağlantısı: 0.5 kW, 380 V, 50 Hz
- Hava tüketimi: 38 serbest hava / devir, min. 600 kPa, 1/2" Bağlantı
- Renk: Standart olarak Ral 7040 - 5002
- Makine standart olarak
- LG-LS Elektronik aksam ve SMC komponent
- Koliyi alttan bantlama
- 6 farklı dilde operatör paneli (Türkçe, İngilizce, Almanca, Fransızca, İspanyolca, Arapça)
- CE sertifikası
- Ürün menşei: Türkiye



Üst Kapak Kapatmalı Koli Bantlama Makinesi


- Otomatik havalı kapak kapamalı / Güvenlik kafesi
- Çalışabilir koli ölçüleri: Minimum - Maksimum
- Uzunluk : 200-600 mm / Genişlik : 120-500 mm / Yükseklik : 120-500 mm
- Manuel genişlik ve yükseklik ayarlama
- Giriş-Çıkış konveyörü (konveyör uzunluğu 450×450 mm)
- Alt-Üst Bantlama Ünitesi
- Yan kayışlı
- Kapasite: 12-18 koli/dk
- Güç gereksinimi: V 380 ±% 10 (1 Ph)-50/60 Hz
- Enerji Tüketimi: 0,36 kWh
- Bant genişliği: 5 cm - 2"
- Kullanılan bant makara uzunluğu: 1.000 mt
- Büyük çaplı endüstriyel bant ile uzun süre bant değiştirmeden kullanım imkanı
- Makine standart olarak LG-LS Elektronik Aksam ve SMC komponent
- Farklı bant genişliklerine adaptasyon
- CE sertifikası
- Ürün Menşei: Türkiye






Kutulama Sistemi

- Tek şeritli 90° ürün beslemeli, sarmalı kutu ve tepsi (duvarları aynı veya farklı yükseklikte olabilen) içinde paketlenmeye uygun sarmalı kutu paketlenme makinelerinden oluşmaktadır.
- Bu makineler , makine modeline ve işlenecek ürünün türüne bağlı olarak, dakikada maksimum 80 adet giriş hızıyla çok çeşitli silindirik, oval veya kare/dikdörtgen kapları paketeleyebilir .
- Bu serinin modelleri, her türlü hat sonu lojistik koşuluna kolayca uyum sağlayan kompakt yapıları ve tek şeritli besleme sayesinde hızlı ve kolay geçiş imkanı sunmalarıyla öne çıkmaktadır.





Konveyör Sistemleri



Akordiyon Konveyör



Modüler Konveyör

Konveyör Sistemleri



Bant Konveyör



Rulolu Konveyör

Üretim, paketlenme ve lojistik süreçlerinde maksimum verimlilik sağlayan Sur Makine Konveyör Sistemleri, farklı sektörlerin ihtiyaçlarına özel olarak tasarlanmakta ve üretilmektedir.

Modüler yapısı sayesinde mevcut üretim hatlarına kolayca entegre edilirken, yüksek taşıma performansı, uzun ömürlü kullanım ve düşük bakım maliyeti sunar. Düz, eğrisel ve esnek konveyör çözümlerimiz ile ürün akışı güvenli, kesintisiz ve verimli hale gelir.



SurMakine

Since 2010



İkitelli OSB Mahallesi Atatürk Bulvarı Haseyat 2. Kısım
100 2B01 İkitelli-Başakşehir/İstanbul TÜRKİYE



+90 (212) 567 03 38

+90 (212) 565 72 28



info@surmakine.com



www.surmakine.com